

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012743-R4  
DATE: 07/22/2015  
CERTIFICATION PROGRAM: Structural  
COMPANY: Kennedy  
CODE: 1978-1  
REVISION DATE: 09/25/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Natural Light Energy Systems</b> <b>dba Kennedy Skylights</b> <b>5294 Tower Way</b> <b>Sanford, FL 32773</b>	<b>Series "H.C.M.A"</b> <b>Curb-Mounted Aluminum Skylight</b>  Configuration: O Outer Dome: 0.093" thick Polycarbonate Inner Dome: 0.040" thick Polycarbonate  Frame: W-1524mm(60") H-1524mm(60") Sash: W-1321mm(52") H-1321mm(52") DLO: W-1245mm(49") H-1245mm(49")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: ±3830 Pa (80 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3992-01  
Expiration Date: **December 31, 2029**

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023