

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011246-R5
DATE: 09/04/2012
CERTIFICATION PROGRAM: Structural/Impact
COMPANY: QMI
CODE: 691-1
REVISION DATE: 12/16/2020

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
QMI Security Solutions 1661 Glenlake Avenue Itasca, IL 60143	Series "Stormsafe Screen" Aluminum Fixed Impact Screen Configuration: O Screen: 304 Stainless Steel (0.028") Frame: W-1562mm(61.5") H-3670mm(144.5") DLO: W-1435mm(56.5") H-3543mm(139.5")

SPECIFICATION	PRODUCT RATING
ASTM E330-02 ASTM E1886-02/04/E1996-02/04 TAS 201/202/203-94	Design Pressure: +80/-80 psf Wind Zone 4-Missile Level D Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories
Report No: CTLA 1366W-1/CTLA 1366W-4/W-1888
Expiration Date: **September 30, 2030**

A handwritten signature in black ink, appearing to be 'S. H. O.', written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122