

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011565.09-R5
DATE: 05/23/2013
CERTIFICATION PROGRAM: Structural
COMPANY: ProVia Door
CODE: 1212-1
REVISION DATE: 04/11/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>ProVia LLC 2150 State Route 39 Sugarcreek, OH 44681</p>	<p style="text-align: center;">Steel Double In-Swing Glazed Side Hinged Door w/Sidelite & Transom</p> <p style="text-align: center;"> Configuration: O over OXX Glazing: IG-Exterior-1/8" Tempered Glass/ Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass/Center-1/8" Tempered Glass/Interior-1/8" Tempered Glass/ IG-Exterior-1/8" Tempered Glass/Center-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-1/8" Tempered Glass/Center- Decorative Inlay/Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-1/8" Tempered Glass/Center-Wrought Iron Decorative Inlay/Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass </p> <p style="text-align: center;">Frame: W-2601mm(102.41") H-3056mm(120.34")</p>

SPECIFICATION	PRODUCT RATING
<p style="text-align: center;"> ASTM E283-04(12)/E330-02(10)/ ASTM E1886-04/05/E1996-02/04/06/09/12a </p>	<p style="text-align: center;"> Design Pressure: 2633 Pa (55 psf) Wind Zone 3-Missile Level D </p>

Product Tested By: National Certified Testing Laboratories
 Report No: NCTL-110-15660-1/NCTL-110-15660-2/W-1561/W-1573/W-2002/
 W-2024
 Expiration Date: **December 31, 2024**

Administrator's Signature: _____

NATIONAL ACCREDITATION &
MANAGEMENT INSTITUTE, INC.
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124/nami@namiinc.com