

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011593.12-R4
DATE: 10/28/2013
CERTIFICATION PROGRAM: Structural
COMPANY: ProVia Door
CODE: 1212-1
REVISION DATE: 04/11/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>ProVia LLC 2150 State Route 39 Sugarcreek, OH 44681</p>	<p style="text-align: center;">Steel Out-Swing Glazed Double Side Hinged Doors w/Direct Set w/Sidelite & Transom Impact Rated</p> <p style="text-align: center;">Configuration: O/OXX Glazing: IG-Exterior-1/8" Tempered Glass/ Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass/Center-1/8" Tempered Glass/Interior-1/8" Tempered Glass/ IG-Exterior-1/8" Tempered Glass/Center-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-1/8" Tempered Glass/Center-Decorative Inlay/Interior- Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass or IG-Exterior-1/8" Tempered Glass/Center-Wrought Iron Decorative Inlay/Interior-Laminate-1/8" Annealed Glass/0.090" Solutia Interlayer/1/8" Annealed Glass</p> <p>Frame: W-2505mm(98.66") H-3311mm(130.34")</p> <p>Panel: W-908mm(35.75") H-2411mm(94.93")</p> <p>Sidelite: W-645mm(25.38") H-2479mm(97.6")</p> <p>Transom: W-3322mm(130.78") H-406mm(16")</p>

SPECIFICATION	PRODUCT RATING
<p style="text-align: center;">ASTM E283-04(12)/E330-02(10) ASTM E1886-05/05/E1996-02/04/06/09/12a</p>	<p style="text-align: center;">Design Pressure: 2633 Pa (55 psf) Wind Zone 3-Missile Level D</p>

Product Tested By: National Certified Testing Laboratories
 Report No: NCTL-110-15660-1/NCTL-110-15660-2/NCTL-110-15650-2/NCTL-110-15650-4/NCTL-110-15651-2/NCTL-110-15651-4/NCTL-110-15652-2/NCTL-110-15652-3/W-1636/W-2002/W-2024
 Expiration Date: **December 31, 2024**

Administrator's Signature: _____

**NATIONAL ACCREDITATION &
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124/nami@namiinc.com