

NOTICE OF PRODUCT CERTIFICATION



Company: Masonite International Corporation
1955 Powis Road
West Chicago, IL 60185

Certification No.: NI006039.01-R9 Page 3
Certification Date: 05/31/2005
Expiration Date: 02/28/2027
Revision Date: 11/14/2023

Product: Metal-Edge Impact Rated Steel Door w/"Fast Frame" Two Piece Adjustable Steel Frame

Specification: TAS 201/202/203-94 (TAS 202-94 Structural Only for I/S Assemblies)

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Water Test Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single (Slabs-CA/CH/EN)	I/S	Opaque	3'3" x 6'10"	+65/-65	0 psf	Yes	NCTL-210-3090-1/ATLNC 0424.01-14/W-1961 Max Panel Size: 3'0" x 6'7" Anchor Details: MA-FL0178
X Single (Slabs-CA/CH/EN)	O/S	Opaque	3'3" x 6'9"	+65/-65	10.5 psf	Yes	NCTL-210-3090-1/ ATLNC 0424.01-14/W-1961 Max Panel Size: 3'0" x 6'7" Anchor Details: MA-FL0178
X Single (Slabs-CA/CH/EN)	I/S	Opaque	3'3" x 8'2"	+65/-65	0 psf	Yes	NCTL-210-3086-1/ ATLNC 0424.01-14/W-1961 Max Panel Size: 3'0" x 6'7" Anchor Details: MA-FL0179
X Single (Slabs-CA/CH/EN)	O/S	Opaque	3'3" x 8'1"	+65/-65	10.5 psf	Yes	NCTL-210-3086-1/ ATLNC 0424.01-14/W-1961 Max Panel Size: 3'0" x 6'7" Anchor Details: MA-FL0179
XX Double (Slabs-CA/CH/EN)	I/S	Opaque	6'4" x 6'10"	+50.5/-50.5	0 psf	Yes	NCTL-210-3087-1/ ATLNC 0424.01-14/W-1961 Max Panel Size: 3'0" x 6'7" Anchor Details: MA-FL0178
XX Double (Slabs-CA/CH/EN)	O/S	Opaque	6'4" x 6'10"	+50.5/-50.5	8.25 psf	Yes	NCTL-210-3087-1/W-1961 Max Panel Size: 3'0" x 6'7" Anchor Details: MA-FL0178

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/nami@namiinc.com

NAMI AUTHORIZED SIGNATURE: _____