



Kolbe & Kolbe Millwork Co.  
1323 South 11th Avenue  
Wausau, WI 54401

Mfr ID: 413

For more Information visit [www.amscert.com](http://www.amscert.com)

Website: [www.kolbewindows.com](http://www.kolbewindows.com)

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
413-H-1268.14	Ultra / VistaLuxe 2-1/4" Outswing Entrance Door mulled to Ultra 2- 1/4" Outswing Fixed Door, HP & IPD4 (R&D #11207 & 11209)	101/I.S.2/A440-11	Class LC-PG65; Size Tested 1902mm x 3114mm Type-SHD; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=A3	1902mm	3114mm	C0214.01-602-44-R3	12/27/2019	1/22/2025
413-H-1268.15	Ultra / VistaLuxe 2-1/4" Outswing Entrance Door mulled to Ultra 2- 1/4" Outswing Fixed Door, HP & IPD4 (R&D #11207 & 11209)	101/I.S.2/A440-11	Class LC-PG65; Size Tested 1273mm x 3114mm Type-FD; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=A3	1273mm	3114mm	C0214.01-602-44-R3	12/27/2019	1/22/2025
413-H-1268.16	Ultra / VistaLuxe 2-1/4" Outswing Entrance Door mulled to Ultra 2- 1/4" Outswing Fixed Door, HP & IPD4 (R&D #11207 & 11209)	101/I.S.2/A440-11	Class LC-PG65; Size Tested 3114mm span/1588mm tributary width (123 in. span/62.50 in. trib width) Type-MA (Reinforced Combination Vertical Mull); DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=A3	1588mm	3114mm	C0214.01-602-44-R3	12/27/2019	1/22/2025
413-H-1268.17	Ultra / VistaLuxe 2-1/4" Outswing Entrance Door mulled to Ultra 2- 1/4" Outswing Fixed Door, HP & IPD4 (R&D #11207 & 11209)	101/I.S.2/A440-08	Class LC-PG65; Size Tested 3181mm x 3114mm Type-SHD; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=A3	3181mm	3114mm	C0214.01-602-44-R3	12/27/2019	1/22/2025
413-H-1268.18	Ultra / VistaLuxe 2-1/4" Outswing Entrance Door mulled to Ultra 2- 1/4" Outswing Fixed Door, HP & IPD4 (R&D #11207 & 11209)	ASTM E-1996 12/ASTM E-1886-05	DP +65/-65 psf, Missile D, Wind Zone 4	3181mm	3114mm	C0214.01-602-44-R3	12/27/2019	1/22/2025

# Hallmark® Certificate of Conformance and License (CCL)





Kolbe & Kolbe Millwork Co.  
1323 South 11th Avenue  
Wausau, WI 54401

*Mfr ID:* 413  
*For more Information visit* [www.amscert.com](http://www.amscert.com)  
*Website:* [www.kolbewindows.com](http://www.kolbewindows.com)  
*TEL:*

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
--------------------	---------------------	-----------------	---------------	-------------	-------------	----------------------	-----------------	----------------

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

*By:*  John McFee, VP of Certification Programs, WDMA Hallmark

*By:*  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)