

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012196.02-R3  
**DATE:** 11/20/2014  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 10/16/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b>  <b>16341 Domestic Avenue</b>  <b>Ft. Myers, FL 33912</b>	<b>Series "176 SS"</b>  <b>Vinyl Horizontal Sliding Window</b>  <b>w/Fin Frame</b>  Configuration: XOX Glazing: IG-Ext-3/16" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" SGP Interlayer by DuPont/1/8" Annealed Glass and IG-Ext-3/16" Annealed Glass/Laminate-3/16" Annealed Glass/0.090" SGP Interlayer by DuPont/3/16" Annealed Glass  Frame: W-2189mm(111.00") H-1600mm(63.00")  Panel: W-717mm(28.25") H-1538mm(60.56")

SPECIFICATION	PRODUCT RATING
<b>AAMA 506-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>ASTM E1886-05/E1996-09</b> <b>TAS 201/202/203-94</b>	<b>Design Pressure: ±2633 Pa (55 psf)</b> <b>Class LC-PG55 2819 x 1600 (111 x 63)-HS</b> <b>HS-LC55 2819 x 1600 (111 x 63)</b> <b>Positive Design Pressure: 2633 Pa (55 psf)</b> <b>Negative Design Pressure: 2872 Pa (60 psf)</b> <b>Wind Zone 4-Missile Level D</b> <b>Large Missile Impact Rated</b> <b>Water Penetration Resistance Test Pressure: 502 Pa(10.50 psf)</b>

Product Tested By: Certified Testing Laboratories, Inc.  
Report No: CTLA-3005W-2A/CTLA-3005W-2D  
Expiration Date: June 30, 2027

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)