

# NOTICE OF PRODUCT CERTIFICATION



<b>CERTIFICATION NO:</b>	<u>NI015126.01</u>
<b>DATE:</b>	<u>12/14/2020</u>
<b>CERTIFICATION PROGRAM:</b>	<u>Structural</u>
<b>COMPANY:</b>	<u>Eastern Arch</u>
<b>CODE:</b>	<u>1783-1</u>

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>Eastern Architectural Systems</b></p> <p><b>16341 Domestic Avenue</b></p> <p><b>Ft. Myers, FL 33912</b></p>	<p style="text-align: center;"><b>Series "176 HRP 424 PVB"</b></p> <p style="text-align: center;"><b>Vinyl Horizontal Sliding Window</b></p> <p style="text-align: center;">Configuration: XOX</p> <p style="text-align: center;">Operable Window Glazing: IG-1/8" Annealed Glass/1/8" Annealed Glass/0.090" PVB by Dupont Interlayer/1/8" Annealed Glass</p> <p style="text-align: center;">Fixed Window Glazing: IG-1/8" Annealed Glass/3/16" Annealed Glass/0.090" PVB by Dupont Interlayer/3/16" Annealed Glass</p> <p>Frame:    W-2794mm(110")    H-1575mm(62")</p> <p>Sash:        W-713mm(28.06")    H-1508mm(59.38")</p> <p>DLO:        W-1283mm(50.50")    H-1453mm(57.19")</p>

SPECIFICATION	PRODUCT RATING
<p><b>TAS 201/202/203-94</b></p>	<p><b>Design Pressure: ±2880 Pa (±60 psf)</b></p> <p>Water Penetration Resistance Test Pressure: 430 Pa (9.00 psf)</p> <p><b>Large Missile Impact Rated</b></p>

Product Tested By: Blackwater Technical Services, Inc.  
 Report No: BT-EAS-20-001  
 Expiration Date: **November 30, 2024**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be 'S.M.D.', is written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124  
 Fax: (804) 684-5122