

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015126.04
DATE: 11/09/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Eastern Arch
CODE: 1783-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Eastern Architectural Systems 16341 Domestic Avenue Ft. Myers, FL 33912	Series "176 HRP 333 SGP" Vinyl Horizontal Sliding Window Configuration: XOX Glazing: IG-3/16" Annealed Glass/1/8" Annealed Glass/0.090" SGP by Dupont Interlayer/1/8" Annealed Glass Frame: W-2819mm(111") H-1930mm(76") Sash: W-922mm(36.31") H-1832mm(72.13") Fixed DLO: W-845mm(33.25") H-1776mm(69.94")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: ±3120 Pa (±65 psf) Water Penetration Resistance Test Pressure: 470 Pa (9.75 psf) Large Missile Impact Rated

Product Tested By: Blackwater Technical Services, Inc.
Report No: BT-EAS-22-001
Expiration Date: **September 30, 2026**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com