

# Hallmark® Certificate of Conformance and License (CCL)



Pella Corporation  
102 Main Street  
Pella, IA 50219

*Mfr ID:* 411


*For more Information visit* [www.amscert.com](http://www.amscert.com)

*Website:* [www.pella.com](http://www.pella.com)

*TEL:* 641-621-6096

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
411-H-1462.30	Pella® 250 Series or Power Symphony® or CWS® Comfort Shield Single Hung	101/I.S.2/A440-11	Class R-PG45; Size Tested 2769 mm x 1829 mm (109in x 72in) Type-H; DP +45/-45 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	2769mm	1829mm	NCTL-310-6748	3/23/2018	2/9/2028
411-H-1462.31	Pella® 250 Series or Power Symphony® or CWS® Comfort Shield Single Hung	101/I.S.2/A440-08	Class R-PG45; Size Tested 2769mm x 1829mm (109in x 72in) Type-H; DP +45/-45 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	2769mm	1829mm	NCTL-310-6748	3/23/2018	2/9/2028
411-H-1462.32	Pella® 250 Series or Power Symphony® or CWS® Comfort Shield Single Hung	101/I.S.2/A440-11	Class R-PG30; Size Tested 2769mm x 1829mm (109in x 72in) Type-H; DP +30/-30 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	2769mm	1829mm	NCTL-310-6747	3/23/2018	2/9/2028
411-H-1462.33	Pella® 250 Series or Power Symphony® or CWS® Comfort Shield Single Hung	101/I.S.2/A440-08	Class R-PG30; Size Tested 2769mm x 1829mm (109in x 72in) Type-H; DP +30/-30 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A2	2769mm	1829mm	NCTL-310-6747	3/23/2018	2/9/2028

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

*By:*  John McFee, VP of Certification Programs, WDMA Hallmark

*By:*  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)