

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013981.56-R1
DATE: 01/22/2020
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 07/27/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Architectural" 3/4 Lite Fiberglass In-Swing Side-Hinged Double Door Assembly Configuration: XX Glazing: Insulating Glass (Tempered) Frame: W-1876mm(73.88") H-2486mm(97.88") Panel: W-908mm(35.75") H-2411mm(94.94") DLO: W-535mm(21.06") H-1603mm(63.13")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(2012) ASTM E330-02(2010) ASTM E330/330M-14 ASTM E331-00(2009)(2016)	Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 0 Pa (0.0 psf)

Product Tested By: Intertek, PLC
Report No: K5525.01-301-47
Expiration Date: **December 31, 2028**

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com