NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI013981.55-R1

DATE: 01/22/2020

CERTIFICATION PROGRAM: Structural

COMPANY: <u>JELD-WEN</u>

CODE: 1822-1

REVISION DATE: 07/27/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION		
JELD-WEN	Series "Architectural" Opaque		
3737 Lakeport Boulevard	Fiberglass In-Swing		
Klamath Falls, OR 97601	Side-Hinged Double Door Assembly		
		Configuration	: XX
	Frame:	W-1873mm(73.75")	H-2080mm(81.88")
	Panel:	W-908mm(35.75")	H-2003mm(78.88")

SPECIFICATION	PRODUCT RATING	
ASTM E1886-05/13a ASTM E1996-09/12a/14a	Design Pressure: ±2873 Pa (60 psf) Wind Zone 3 - Missile Level D	

Product Tested By: National Certified Testing Laboratories, Inc.

Report No: NCTL-310-19-040 Expiration Date: September 30, 2028

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com