

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013981.63-R1  
**DATE:** 08/16/2021  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** JELD-WEN  
**CODE:** 1822-1  
**REVISION DATE:** 07/27/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>Series "Architectural" Opaque</b> <b>Fiberglass French Out-Swing</b> <b>Side-Hinged Double Door Assembly</b>  Configuration: XX  Frame: W-2184mm(86")      H-2445mm(96.25") Panel: W-1067mm(42")      H-2413mm(95")

SPECIFICATION	PRODUCT RATING
<b>ASTM E1886-13a</b> <b>ASTM E1996-17</b>	<b>Design Pressure: ±2400 Pa (50 psf)</b> <b>Wind Zone 3 - Missile Level D</b>

Product Tested By: Intertek, PLC  
Report No: M4812.01-301-47/J7895.01-301-47  
Expiration Date: **May 31, 2028**

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)