

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011640
DATE: 08/28/2013
CERTIFICATION PROGRAM: Structural
COMPANY: All Seasons
CODE: 353-1

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
All Seasons Commercial Division, Inc. 1293 N. Harvey Mitchell Parkway Bryan, TX 77803	Series "3000" Aluminum Fixed Window Configuration: O Glazing: Insulating Glass (Heat Strengthened) Frame: W-1524mm(60") H-2515mm(99") DLO: W-1410mm(55.5") H-2400mm(94.5")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class AW-PG120 1524 x 2515 (60 x 99)-FW Design Pressure: 5746 Pa (120 psf) Water Penetration Resistance Test Pressure: 718 Pa (15 psf)

Product Tested By: Architectural Testing, Inc.
Report No: C9911.01-801-44
Expiration Date: **July 31, 2017**

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122