

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012005.01-R6
DATE: 07/21/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720	Series "M950" Impact Rated Aluminum Fixed Over Fixed Window Configuration: O/O Glazing: IG-Exterior-1/4" Annealed Glass/ Interior-1/8" Annealed Glass/0.090 PVB Interlayer by Eastman/1/8" Annealed Glass Frame: W-1219mm(48") H-2134mm(84") DLO: W-1137mm(44.75") H-997mm(39.25")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05	Design Pressure: ±2400 Pa (50 psf) Wind Zone 4-Missile Level D

Product Tested By: Architectural Testing, Inc.
Report No: A8579.01-602-18
Expiration Date: March 31, 2026

A handwritten signature in black ink, appearing to be "S.H.D.", written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

nami@namiinc.com

NOPC 03/30/2023