

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012007.01-R7
DATE: 07/21/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720	Series "M85" Impact Rated Aluminum Fixed Window Configuration: O Glazing: IG-Exterior-1/8" Annealed Glass/0.090 PVB Interlayer by Solutia Saflex/1/8" Annealed Glass/Interior-1/8" Annealed Glass Frame: W-1422mm(56") H-1727mm(68") DLO: W-1308mm(51.5") H-1613mm(63.5")

SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05	Design Pressure: ±2400 Pa (50 psf) Wind Zone 3-Missile Level D

Product Tested By: Architectural Testing, Inc.
Report No: 95446.01-601-18
Expiration Date: June 30, 2026

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com