

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012134-R4  
DATE: 09/15/2014  
CERTIFICATION PROGRAM: Structural  
COMPANY: Eastern  
CODE: 1783-1  
REVISION DATE: 10/16/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>16341 Domestic Avenue</b> <b>Ft. Myers, FL 33912</b>	<b>Series "5000" Full Glazed Aluminum</b> <b>Outswing Single Side-Hinged Door w/Riser</b>  Configuration: X Glazing: Monolithic Laminate-3/16" Heat Strengthened Glass/0.090" SGP Interlayer by DuPont/3/16" Heat Strengthened Glass or IG-Ext-3/16" Tempered Glass/Laminate-3/16" Heat Strengthened Glass/0.090" SGP Interlayer by DuPont/3/16" Heat Strengthened Glass  Frame: W-991mm(39") H-2465mm(97.06") Panel: W-908mm(35.75") H-2388mm(94.03")

SPECIFICATION	PRODUCT RATING
<b>AAMA 506-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>ASTM E1886-05/E1996-09</b> <b>TAS 201/202/203-94</b>	<b>Design Pressure: ±4788 Pa (100 psf)</b> <b>Class LC-PG100 991 x 2465 (39 x 97)-SHD</b> <b>Wind Zone 4-Missile Level D</b> <b>Large Missile Impact Rated</b> Water Penetration Resistance Test Pressure: 718 Pa(15 psf)

Product Tested By: Certified Testing Laboratories, Inc.  
Report No: CTLA-3018WA/CTLA-3018WD  
Expiration Date: April 30, 2027

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023