NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012134.03-R2

DATE: 11/20/2014

CERTIFICATION PROGRAM: Structural

COMPANY: Eastern

CODE: 1783-1

REVISION DATE: 11/10/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS		PRODUCT DES	CRIPTION
Eastern Architectural Systems	Series "5000" Full Glazed Aluminum		
16341 Domestic Avenue	Outswing Double Side-Hinged Door		
Ft. Myers, FL 33912	Configuration: XX Glazing: Monolithic Laminate-3/16" Heat Strengthened Glass/0.090" SGP Interlayer by DuPont/3/16" Heat Strengthened Glass or IG-Ext-3/16" Tempered Glass/Laminate-3/16" Heat Strengthened Glass/0.090" SGP Interlayer by DuPont/3/16" Heat Strengthened Glass		
	Frame:	W-1905mm(75")	H-2465mm(97.06")
	Panel:	W-908mm(35.75")	H-2388mm(94.03")

SPECIFICATION	PRODUCT RATING	
AAMA 506-08 AAMA/WDMA/CSA 101/I.S.2/A440-11 ASTM E1886-05/E1996-09 TAS 201/202/203-94	Design Pressure: ±1436 Pa (30 psf) Class LC-PG30 1905 x 2465 (75 x 97)-SHD Negative Design Pressure: 3591 Pa (75 psf) Wind Zone 4-Missile Level D Large Missile Impact Rated Water Penetration Resistance Test Pressure: 215 Pa(4.5 psf)	

Product Tested By: Certified Testing Laboratories, Inc.

Report No: CTLA-3018WA-1R/CTLA 3018WD-1R

Expiration Date: September 30, 2027

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023