

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012672-R3
DATE: 06/01/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya Plastics
CODE: 661-1
REVISION DATE: 08/31/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation U.S.A. 8989 North Loop East Houston, TX 77029	Series "O/XO Gliding Patio Door" Fiberglass Sliding Glass Door w/Field Mullion (Impact) Configuration: O/XO Glazing: IG-1/8" Tempered Glass/1/8" Tempered Glass/0.090" DuPont Butacite PVB Interlayer/1/8" Tempered Glass Frame: W-2804mm(110.38") H-2096mm(82.5") Panel: W-908mm(35.75") H-2022mm(79.59") DLO: W-667mm(26.25") H-1676mm(66")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 CSA A440S1-09 ASTM E1886-05 ASTM E1996-05/09	Class R-PG50 2804 x 2096 (110 x 83)-SD Design Pressure: 2400 Pa (50 psf) Wind Zone 4 - Missile Level D Water Penetration Resistance Test Pressure: 360 Pa(7.5 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4001-02
Expiration Date: April 30, 2031

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com