

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI012917-R2  
**DATE:** 10/26/2015  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Nan Ya Plastics  
**CODE:** 661-1  
**REVISION DATE:** 09/20/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Nan-Ya Plastics Corporation U.S.A.</b> <b>8989 North Loop East</b> <b>Houston, TX 77029</b>	<b>Series "Out-Swing Side Hinged Door"</b> <b>Opaque Fiberglass Impact Rated</b> <b>Side-Hinged Door</b>  Configuration: X  Frame: W-949mm(37.38") H-2468mm(97.16") Panel: W-899mm(35.38") H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
<b>ASTM E1886-05/E1996-05/09</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG50 949 x 2468 (37 x 97)-SHD</b> <b>Design Pressure: ±2400 Pa (50 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa(7.5 psf)</b> <b>Wind Zone 4-Missile Level D</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4002-03  
Expiration Date: August 31, 2031

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)