

Hallmark® Certificate of Conformance and License (CCL)



KOLBE & KOLBE MILLWORK CO., INC.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website:

TEL:

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
413-H-1291.32	VistaLuxe Inswing Door 6080, 3" Stiles, Thin, SP (R&D #13121)	101/I.S.2/A440-11	Class LC-PG35; Size Tested 1899mm x 2489mm Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	1899mm	2489mm	ESP019796P-1715	5/26/2015	5/12/2025
413-H-1291.33	VistaLuxe Inswing Door 6080, 3" Stiles, Thin, SP (R&D #13121)	101/I.S.2/A440-08	Class LC-PG35; Size Tested 1899mm x 2489mm Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	1899mm	2489mm	ESP019796P-1715	5/26/2015	5/12/2025
413-H-1291.34	VistaLuxe Inswing Door 6080, 3" Stiles, Thin, SP (R&D #13121)	CSA A440 S1-09	Class LC-PG35; Size Tested 1899mm x 2489mm Type-SHD; DP +35/-35 psf; Water Test Press 260Pa (5.43psf); Can. Air Infil/Exfil. Level=A3	1899mm	2489mm	ESP019796P-1715	5/26/2015	5/12/2025

WDMA HEREBY CERTIFIES that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected by WDMA, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By:  John McFee, VP of Certification Programs, WDMA Hallmark

By:  Rhonda Schotz, Authorized Representative, AMS

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 100 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com