

Hallmark® Certificate of Conformance and License (CCL)



KOLBE & KOLBE MILLWORK CO., INC.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413

For more Information visit www.amscert.com

Website:

TEL:

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
413-H-1291.39	VistaLuxe Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Fixed Door 3080, SP (R&D #14108)	101/I.S.2/A440-11	Class LC-PG50; 2489mm Span/965mm Tributary Width (98 in./38 in.) - MA (Combination Vertical Mull)	965mm	2489mm	ESP020330P-1738	8/21/2015	7/10/2025
413-H-1291.40	VistaLuxe Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Fixed Door 3080, SP (R&D #14108)	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1930mm x 2489mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1930mm	2489mm	ESP020330P-1738	8/21/2015	7/10/2025
413-H-1291.41	VistaLuxe Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Fixed Door 3080, SP (R&D #14108)	CSA A440 S1-09	Class LC-PG50; Size Tested 1930mm x 2489mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	1930mm	2489mm	ESP020330P-1738	8/21/2015	7/10/2025
413-H-1291.43	VistaLuxe Direct Set Sidelite 3080 Mulled to Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Direct Set Sidelite 3080, SP (R&D #14106)	101/I.S.2/A440-11	Class LC-PG50; 2489mm Span/965mm Tributary Width (98 in./38 in.) - MA (Combination Vertical Mull)	965mm	2489mm	ESP020328P-1736	8/21/2015	7/16/2025
413-H-1291.44	VistaLuxe Direct Set Sidelite 3080 Mulled to Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Direct Set Sidelite 3080, SP (R&D #14106)	101/I.S.2/A440-08	Class LC-PG50; Size Tested 2946mm x 2489mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	2946mm	2489mm	ESP020328P-1736	8/21/2015	7/16/2025
413-H-1291.45	VistaLuxe Direct Set Sidelite 3080 Mulled to Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Direct Set Sidelite 3080, SP (R&D #14106)	CSA A440 S1-09	Class LC-PG50; Size Tested 2946mm x 2489mm Type-SHD; DP +50/-50 psf; Water Test Press 360Pa (7.52psf); Can. Air Infil/Exfil. Level=A3	2946mm	2489mm	ESP020328P-1736	8/21/2015	7/16/2025
413-H-1291.46	VistaLuxe Direct Set Sidelite 3080 Mulled to Inswing Door 3080, 3" Stiles mulled to a VistaLuxe Direct Set Sidelite 3080, SP (R&D #14106)	AAMA 450-10	Class LC-PG50; 2489mm Span/965mm Tributary Width (98 in./38 in.) - MA (Combination Vertical Mull)	965mm	2489mm	ESP020328P-1736	8/21/2015	7/16/2025

Hallmark® Certificate of Conformance and License (CCL)



KOLBE & KOLBE MILLWORK CO., INC.
1323 South 11th Avenue
Wausau, WI 54401

Mfr ID: 413
For more Information visit www.amscert.com
Website:
TEL:

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
--------------------	---------------------	-----------------	---------------	-------------	-------------	----------------------	-----------------	----------------

WDMA HEREBY CERTIFIES that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected by WDMA, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By: *John McFee* *John McFee, VP of Certification Programs, WDMA Hallmark*

By: *Rhonda Schotz* *Rhonda Schotz, Authorized Representative, AMS*

Program Sponsor:
Window and Door Manufacturers Assoc
330 N. Wabash Avenue, Suite 2000
Chicago, IL 60611
TEL (312)673-4828 www.wdma.com

Program Administrator:
Administrative Management Systems, Inc.
PO Box 730, 100 West Main
Sackets Harbor, NY 13685
TEL (315)646-2234 staff@amscert.com