NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012958-R2

DATE: 12/09/2015

CERTIFICATION PROGRAM: Structural

COMPANY: Nan Ya

CODE: 661-1

REVISION DATE: <u>09/20/2022</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation USA	Series "JBL"
8989 North Loop East, Suite 800	Fiberglass Out-Swing Folding Door
Houston, TX 77029	
	Configuration: XXX Glazing: Insulating Glass(Exterior-Tempered Glass/Interior-Annealed Glass)
	Frame: W-2688mm(105.81") H-2483mm(97.75")
	Panel: W-876mm(34.5") H-2370mm(93.31")
	DLO: W-635mm(25") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 A440S1-09	Class SP-PG45 2688 X 2483 (106 x 98) Design Pressure: 2160 Pa (45 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.5 psf) Qualifies Configurations: X/XX/XXX

Product Tested By: National Certified Testing Laboratories

Report No: NCTL-210-4013-01 Expiration Date: October 31, 2031

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

nami@namiinc.com