

# NOTICE OF PRODUCT CERTIFICATION



**Company:** Nan Ya Plastics Corporation  
 8989 North Loop East  
 Houston, TX 77029

**Certification No.:** NI010023-R4 Pg2  
**Certification Date:** 09/09/2009  
**Expiration Date:** 06/30/2025  
**Revision Date:** 09/29/2020

**Product:** Series “MK-2” Fiberglass Skin Glazed Double Entry Door w/ or w/o Sidelites (PVC Frame)  
**Specification:** TAS 201/202/203-94  
**Glazing:** IG: 1/8” Tempered Glass/Laminate-1/8” Annealed Glass/0.090” PVB Interlayer/1/8” Annealed Glass w/ODL Hurricane Impact Light Frame System

The “Notice of Product Certification” is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI’s Certified Product Listing at [www.Namicertification.com](http://www.Namicertification.com). NAMI’s Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Structural Design Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	I/S	Glazed	3’0” x 6’10”	+20/-50 psf	Yes	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
XX Double	I/S	Glazed	6’0” x 6’10”	+20/-50 psf	Yes	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
OX/XO Single w/Sidelite	I/S	Glazed	4’2” x 6’10”	+20/-50 psf	Door-Yes Sidelite-Yes	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
OXO Single w/Sidelites	I/S	Glazed	5’4” x 6’10”	+20/-50 psf	Door-Yes Sidelite-Yes	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
OXXO Double w/Sidelites	I/S	Glazed	8’9” x 6’10”	+20/-50 psf	Door-Yes Sidelite-Yes	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”

**National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072  
 Tel: (804) 684-5124/Fax: (804) 684-5122**

**NAMI AUTHORIZED SIGNATURE:** \_\_\_\_\_