

NOTICE OF PRODUCT CERTIFICATION



Company: Nan Ya Plastics Corporation
 8989 North Loop East
 Houston, TX 77029

Certification No.: NI010023-R4 Pg5
Certification Date: 09/09/2009
Expiration Date: 06/30/2025
Revision Date: 09/29/2020

Product: Series “NI-2” Fiberglass Skin Glazed Double Entry Door w/ or w/o Sidelites (PVC Frame)
Specification: TAS 202-94
Glazing: IG: 1/8” Tempered Glass

The “Notice of Product Certification” is only valid if the NAMI Certification Label has been applied to the product as described within this document. The certification label represents product conformity to the applicable specification and that all certification criteria has been satisfied. This product has been approved for listing within NAMI’s Certified Product Listing at www.Namicertification.com. NAMI’s Certification Program is accredited by The American National Standards Institute (ANSI).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Structural Design Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
X Single	I/S	Glazed	3’0” x 6’10”	+30/-50 psf	No	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
XX Double	I/S	Glazed	6’0” x 6’10”	+30/-50 psf	No	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
OX/XO Single w/Sidelite	I/S	Glazed	4’2” x 6’10”	+30/-50 psf	Door-No Sidelite-No	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
OXO Single w/Sidelites	I/S	Glazed	5’4” x 6’10”	+30/-50 psf	Door-No Sidelite-No	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”
OXXO Double w/Sidelites	I/S	Glazed	8’9” x 6’10”	+30/-50 psf	Door-No Sidelite-No	ETC-07-255-18448.5 Maximum DLO: 2’2” x 5’6”

**National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
 Tel: (804) 684-5124/Fax: (804) 684-5122**

NAMI AUTHORIZED SIGNATURE: _____ *AKO*