

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013482-R2  
**DATE:** 01/18/2017  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern  
**CODE:** 1783-1  
**REVISION DATE:** 10/16/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>16341 Domestic Avenue</b> <b>Ft. Myers, FL 33912</b>	<b>Series "176 HRP 3-3-3"</b> <b>Vinyl Horizontal Slider</b>  (Fin Installation) Configuration: XOX Glazing: Insulating Glass (Annealed)  Frame: W-2819mm(111") H-1600mm(63") Panel: W-937mm(36.88") H-1538mm(60.56")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class LC-PG55 2819 x 1600 (111 x 63)-HS</b> <b>Design Pressure: ±2640 Pa (55 psf)</b> Water Penetration Resistance Test Pressure: 504 Pa(10.5 psf)

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4039-04  
Expiration Date: **September 30, 2027**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)