






**Figure 12.1 (Continued)**

<p><b>Example A</b></p> 	<p>Qualifies any single horizontal sliding window and door.</p> <p>Testing Example A qualifies A, but does not qualify B, C, D, or E.</p>	<p><b>Example E</b></p>  <p>Testing Example E qualifies A, B, C, D, or E regardless of the number of panels</p> <p>Comparative analysis supplied by the manufacturer shall be in accordance with Clause 4.4.2.8.</p>
<p><b>Example B</b></p> 	<p>Qualifies any single horizontal sliding window and door or composite system with one operable panel.</p> <p>Testing Example B qualifies A or B, but does not qualify C, D, or E.</p>	
<p><b>Example C</b></p> 	<p>Qualifies any single horizontal sliding window and door or composite system with one operable panel.</p> <p>Testing Example C qualifies A or C, but does not qualify B, D, or E.</p>	
<p><b>Example D</b></p> 	<p>Qualifies any single horizontal sliding window and door or composite system with one or two operable panels.</p> <p>Testing Example D qualifies A, C, or D, but does not qualify B or E.</p>	

**Horizontal sliding windows and doors**

**Notes:**

- 1) *The following qualification requirements shall apply:*
  - a) *frame size shall not be bigger than tested height or width;*
  - b) *individual sash size shall not be bigger than tested height or width; and*

*(Continued)*