WINDOW & DOOR MANUFACTURERS ASSOCIATION

Hallmark® Certificate of Conformance and License (CCL)



AMS, INC. Administrative Management Systems, Inc.

Mf	r ID:	411
Fo	r more Info	rmation visit www.amscert.com
We	ebsite:	www.pella.com
TE	L:	641-621-6096

Product No.	. Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
411-H-1491.00	Pella 250 Series Vinyl Casement	101/I.S.2/A440-11	Class LC-PG50; Size Tested 1816mm x 1816mm (71.5in x 71.5in) Type-C; DP +50/-50 psf; Water Test Press 720Pa (15.04psf); Can. Air Infil/Exfil. Level=A3	1816mm	1816mm	ESP027058P.3	3/23/2018	11/11/2027
411-H-1491.01	Pella 250 Series Vinyl Casement	101/I.S.2/A440-08	Class LC-PG50; Size Tested 1816mm x 1816mm (71.5in x 71.5in) Type-C; DP +50/-50 psf; Water Test Press 720Pa (15.04psf); Can. Air Infil/Exfil. Level=A3	1816mm	1816mm	ESP027058P.3	3/23/2018	11/11/2027
411-H-1491.29	Pella 250 Series Vinyl Casement	101/I.S.2/A440-17	Class LC-PG50; Size Tested 1816mm x 1816mm (71.5in x 71.5in) Type-C; DP +50/-50 psf; Water Test Press 720Pa (15.04psf); Can. Air Infil/Exfil. Level=A3	1816mm	1816mm	ESP027058P.3	5/3/2018	11/11/2027

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

Pella Corporation 102 Main Street Pella, IA 50219

By: for McFee, VP of Certification Programs, WDMA Hallmark

Rhonda Schotz, Authorized Representative, AMS

Program Sponsor: Window and Door Manufacturers Assoc 330 N. Wabash Avenue, Suite 2000 Chicago, IL 60611 TEL (312)673-4828 www.wdma.com Program Administrator: Administrative Management Systems, Inc. PO Box 730, 205 West Main Sackets Harbor, NY 13685 TEL (315)646-2234 staff@amscert.com