NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI013981.52-R1

DATE: 11/05/2019

CERTIFICATION PROGRAM: Structural

COMPANY: JELD-WEN

CODE: 1822-1

REVISION DATE: 07/27/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN	Series "Architectural" Opaque
3737 Lakeport Boulevard	Fiberglass In-Swing
Klamath Falls, OR 97601	Side-Hinged Double Door Assembly
	Configuration: XX
	Frame: W-1878mm(73.94") H-2075mm(80.69")
	Panel: W-908mm(35.75") H-2007mm(79")

SPECIFICATION	PRODUCT RATING
TAS 202-94 (Structural Only)	Design Pressure: ±2873 Pa (60 psf) Water Penetration Resistance Test Pressure: 0 Pa (0.0 psf)

Product Tested By: Intertek, PLC
Report No: K3238.01-301-44
Expiration Date: October 31, 2028

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

> Tel: (804) 684-5124 Email: nami@namiinc.com