

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013954.02-R2  
**DATE:** 02/08/2018  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Eastern Arch  
**CODE:** 1783-1  
**REVISION DATE:** 10/16/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Eastern Architectural Systems</b> <b>16341 Domestic Avenue</b> <b>Ft. Myers, FL 33912</b>	<b>Series "650 Multi-Slide/Pocket Door"</b> <b>Vinyl Sliding Glass Door</b>  Configuration: OXXO Glazing: Insulating Glass (Tempered)  Frame: W-5029mm(198") H-2438mm(96") Panel: W-1276mm(50.25") H-2356mm(92.75") DLO: W-1054mm(41.5") H-2140mm(84.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class LC-PG70 5029 x 2435 (198 x 96)-SD</b> <b>Negative Design Pressure: -3830 Pa (80 psf)</b> 3.785" Sill Riser: Water Penetration Resistance Test Pressure: 504 Pa (10.5 psf) 3.785" Sill Riser w/Insect Screen: Water Penetration Resistance Test Pressure: 540 Pa (11.25 psf)

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-4092-01 (Spec 3)  
Expiration Date: March 31, 2027

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023