

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI014359.01-R2  
**DATE:** 02/25/2019  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Quaker  
**CODE:** 031-1  
**REVISION DATE:** 07/24/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Quaker Window Products</b> <b>504 Highway 63 South</b> <b>Freeburg, MO 65035</b>	<b>Series "M700"</b> <b>Aluminum Project-Out Awning Window</b>  Configuration: X Glazing: IG-3/16" Annealed Glass/1/8" Annealed Glass/0.090" Kuraray PVB Interlayer/1/8" Annealed Glass  Frame: W-1219mm(48") H-1524mm(60") Vent: W-1175mm(46.25") H-1480mm(58.25") DLO: W-1067mm(42") H-1372mm(54")

SPECIFICATION	PRODUCT RATING
<b>AAMA 506-16</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>ASTM E1886-13a</b> <b>ASTM E1996-14a/17</b>	<b>Class AW-PG70 1219 x 1524 (48 x 60)-AP</b> <b>Design Pressure: ±3360 Pa (70 psf)</b> <b>Wind Zone 4 - Missile Level D</b> Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)

Product Tested By: Intertek, PLC  
Report No: J1413.01-801-44/G3076.01-801-47  
Expiration Date: November 30, 2028

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)