

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015728  
DATE: 02/06/2023  
CERTIFICATION PROGRAM: Structural  
COMPANY: JELD-WEN  
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>Series "F4500 Folding Door System"</b> <b>Fiberglass Glazed Outswing Folding Door</b> <b>(Type B 2L-1R Direct)</b>  Configuration: XXX Glazing: Insulating Glass (Tempered) Frame: W-2715mm(106.88") H-2022mm(79.63") Panel: W-876mm(34.50") H-1943mm(76.50") DLO: W-670mm(26.38") H-1740mm(68.50")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class R-PG50 2715 x 2022 (107 x 80)-FLD</b> <b>Design Pressure: 2400 Pa (50 psf)</b> <b>Positive Design Pressure: 2400 Pa (50 psf)</b> <b>Negative Design Pressure: 2640 Pa (55 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-310-22-109/NCTL-310-22-107  
Expiration Date: **December 31, 2026**

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)