

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013907.14-R2
DATE: 07/01/2019
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 07/28/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601	Series "Architectural Fiberglass" Glazed Fiberglass Out-Swing Transom Configuration: Glazing: IG-1/8" Annealed Glass/0.090" Kuraray PVB Interlayer/1/8" Annealed Glass/1/8" Tempered Glass/ Frame: W-2524mm(99.37") H-619mm(24.38") DLO: W-2457mm(96.75") H-552mm(21.75")

SPECIFICATION	PRODUCT RATING
TAS 202-94 ASTM E283-04(2012) ASTM E330-14/ASTM E547-00(2016) ASTM E1886-05/13a ASTM E1996-12a/14a	Design Pressure: ±3120 Pa (65 psf) Positive Design Pressure: 3120 Pa (65 psf) Negative Design Pressure: 3360 Pa (70 psf) Water Penetration Resistance Test Pressure: 510 Pa (10.65 psf) Wind Zone 3 - Missile Level D

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-310-19-065/NCTL-310-19-061
Expiration Date: **June 30, 2028**

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com