

## Hallmark® Certificate of Conformance and License (CCL)



AMS, INC. Administrative Management Systems, Inc.

Marvin PO Box 100 401 State Ave N. 401 State Ave N. Warroad, MN 56763 *Mfr ID:* 407

For more Information visit www.amscert.com

Website: www.marvin.com TEL: 218-386-1430

Product No.	Product Name	Standard	Rating	Wide	High	Test Report #	CertDate	ExpDate
407-H-1050.14	Ultimate Casement Picture Round Top IZ3 3684	101/I.S.2/A440-11	Class LC-PG65; Size Tested 914mm x 2111mm Type-FW; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=Fixed	914mm	2111mm	H5259.01-201-47 R0	1/26/2018	9/11/2027
407-H-1050.15	Ultimate Casement Picture Round Top IZ3 3684	ASTM E1996-14a/ ASTM E-1886-13a	DP +65/-65 psf, Missile D, Wind Zone 3	914mm	2111mm	H5259.02-201-47 R0	2/12/2018	9/11/2027
407-H-1050.16	Ultimate Casement Picture Round Top IZ3 3684	101/I.S.2/A440-11	Class LC-PG65; Size Tested 914mm x 2111mm Type-FW; DP +65/-65 psf; Water Test Press 470Pa (9.82psf); Can. Air Infil/Exfil. Level=Fixed	914mm	2111mm	H5256.01-201-47 R0	1/26/2018	9/11/2027
407-H-1050.17	Ultimate Casement Picture Round Top IZ3 3684	ASTM E1996-14a/ ASTM E-1886-13a	DP +65/-65 psf, Missile D, Wind Zone 3	914mm	2111mm	H5256.02-201-47 R0	2/12/2018	9/11/2027

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

By: Metree John McFee, VP of Certification Programs, WDMA Hallmark

By: Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor: Window and Door Manufacturers Assoc 330 N. Wabash Avenue, Suite 2000

Chicago, IL 60611

TEL (312)673-4828 www.wdma.com

Program Administrator: Administrative Management Systems, Inc. PO Box 730, 205 West Main

Sackets Harbor, NY 13685

TEL (315)646-2234 staff@amscert.com

WD-20 5/26/2016 JGK Friday, December 20, 2019 Page 1