



**AAMA CERTIFICATION PROGRAM**  
An FGIA Product Certification Program



**AUTHORIZATION FOR PRODUCT CERTIFICATION**

**Lippert Components, Inc. dba Kinro Windows**  
3501 County Road 6 East  
Elkhart, IN 46514

**Attn: Rob Luter**

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.

<b>SPECIFICATION</b>		<b>RECORD OF PRODUCT TESTED</b>			
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11 &amp; A440S1-09 LC-PG50*-1816x2019 (72x80)-SD</b>					
<b>COMPANY AND CODE</b>	<b>CPD NO.</b>	<b>SERIES MODEL &amp; PRODUCT DESCRIPTION</b>	<b>MAXIMUM SIZE TESTED</b>		
<b>Lippert Components, Inc. dba Kinro Windows Code: KIN</b>	18675	<b>1700 SGD (PVC)(OX)(OG)(INS GL) (REINF)(ASTM)</b>	<u>FRAME</u> <b>1816 mm x 2019 mm (6'0" x 6'8")</b>	<u>PANEL</u> <b>924 mm x 1940 mm (3'0" x 6'4")</b>	
<b>Design Pressure (psf): +50/-50</b>	<b>Design Pressure (Pa): +2400/-2400</b>	<b>Water Test Pressure (Pa): 360</b>	<b>Canadian Air Infiltration/Exfiltration: A2</b>		

This Certification will expire **December 17, 2029 (extended from December 17, 2024 per AAMA 103-19)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Product Tested and Reported by: **Molimo, LLC**

Report No.: **2179.02-109-12**

Date of Report: **January 17, 2020**

Evaluated for Certification: **July 25, 2023**

Associated Laboratories, Inc.

Authorized for Certification: **July 25, 2023**

Fenestration and Glazing Industry Alliance



(Validator / Operations Administrator)