

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014630.02-R1
DATE: 04/16/2020
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1
REVISION DATE: 06/14/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601 | Series "Auraline" Composite Four Wide Awning Window (w/ or w/o Nail Fin) Configuration: XXXX Glazing: Insulating Glass (Annealed) Frame: W-4880mm(192.13") H-914mm(36") Sash: W-1172mm(46.13") H-876mm(34.5") DLO: W-1057mm(41.63") H-762mm(30") |

| SPECIFICATION | PRODUCT RATING |
|--|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 | Class LC-PG35 4880 x 914 (192 x 36)-AP Design Pressure: ±1680 Pa (35 psf) Positive Design Pressure: 1680 Pa (35 psf) Negative Design Pressure: 1920 Pa (40 psf) Water Penetration Resistance Test Pressure: 260 Pa (5.25 psf) |

Product Tested By: Intertek, PLC
Report No: K8507.01-301-47/NCTL-310-19-108
Expiration Date: **March 31, 2030**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com