

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014631.14
DATE: 07/11/2022
CERTIFICATION PROGRAM: Structural
COMPANY: JELD-WEN
CODE: 1822-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| JELD-WEN 3737 Lakeport Boulevard Klamath Falls, OR 97601 | Series "Auraline" Composite 3-Wide Single Hung Window Assembly (w/Nail Fin & Thru Frame) Configuration: O/XO/XO/X Glazing: Insulating Glass (Annealed) Frame: W-3658mm(144") H-1829mm(72") Sash: W-1149mm(45.25") H-924mm(36.38") DLO: W-1054mm(41.50") H-805mm(31.69") |

| SPECIFICATION | PRODUCT RATING |
|--|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 | Class LC-PG35 3658 x 1829* (144 x 72*)-H Design Pressure: 1680 Pa (35 psf) Positive Design Pressure: 1680 Pa (35 psf) Negative Design Pressure: 1920 Pa (40 psf) Water Penetration Resistance Test Pressure: 260 Pa (5.43 psf) Canadian Air Infiltration/Exfiltration Level: A2 |

Product Tested By: Intertek, PLC
Report No: N4955.01-301-47/NCTL-310-19-135
Expiration Date: March 31, 2030

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com