

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013993-R2
DATE: 03/21/2018
CERTIFICATION PROGRAM: Structural
COMPANY: Quaker
CODE: 031-1
REVISION DATE: 07/28/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p>Quaker Window Products 504 Highway 63 South Freeburg, MO 65035</p>	<p>Series "V700" Vinyl Awning Window</p> <p>Configuration: X Glazing: IG-Int-Laminate-1/8" Annealed Glass/ 0.090" PVB by Kuraray/1/8" Annealed Glass/ Ext-1/8" Annealed Glass</p> <p>Frame: W-1219mm(48") H-813mm(32") Vent: W-1199mm(47.19") H-794mm(31.25") DLO: W-1054mm(41.5") H-638mm(25.13")</p>

SPECIFICATION	PRODUCT RATING
<p>AAMA 506-16 AAMA/WDMA/CSA 101/I.S.2/A440-08 ASTM E1886-13a/ASTM E1996-14a/17</p>	<p>Class CW-PG50 1219 x 813 (48 x 32)-AP Design Pressure: ±2400 Pa (50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf) Wind Zone 4-Missile Level D</p>

Product Tested By: Intertek, PLC
 Report No: H4478.01-801-44 r2/F9422.01-801-47/W-1823/W-2038
 Expiration Date: **October 31, 2030**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
nami@namiinc.com