



AAMA CERTIFICATION PROGRAM
An FGIA Product Certification Program



AUTHORIZATION FOR PRODUCT CERTIFICATION

Simonton Windows
1 Cochrane Dr.
Pennsboro, WV 26415

Attn: Tina Seese

This authorization is based on the successful completion of tests, and the reporting to the AAMA Validator of the results of the tests by an AAMA Accredited Laboratory. The product information below will be added to the next update of the AAMA Certified Products Directory.


| SPECIFICATIONS | | RECORD OF PRODUCT TESTED | | | |
|--|--|--------------------------|--|---|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-08 R-PG40-914x1880 (36x74)-C | AAMA 506 | | | | |
| COMPANY AND CODE | Missile Level: C Rating: +40/-40, 36x74 Wind Zone: 2 | CPD NO. | SERIES MODEL & PRODUCT DESCRIPTION | MAXIMUM SIZE TESTED | |
| Simonton Windows Code: SIM | Rating above conforms to the requirements of: ASTM E1886 and E1996 | 19702 | 08-09/08-20 CASEMENT (PVC)(X)(OG) (INS 0.060" PVB LAM GL) (ASTM) | <u>FRAME(mm)</u> 914 x 1880 (3'0" x 6'2") | <u>VENT (mm)</u> 870 x 1835 (2'10" x 6'0") |

This Certification will expire **June 4, 2022** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

Structural Test & Report By:
Architectural Testing, Inc.
Report No: **C9011.01-501-47**
Date of Reports: **June 27, 2013**

Missile Impact Test & Report By:
National Certified Testing Laboratories
Report No: **NCTL-110-24283-1**
Date of Report: **June 9, 2021**

Evaluated for Certification: **July 19, 2021**


Associated Laboratories, Inc.

Authorized for Certification: **July 19, 2021**


Fenestration and Glazing Industry Alliance



(Validator / Operations Administrator)