

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015832.35  
**DATE:** 09/13/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1408-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Ply Gem Window Group</b> <b>Simonton Windows</b> <b>520 Weston Parkway, Suite 300</b> <b>Cary, NC 27513</b>	<b>Series "Ply Gem Perspective/ Simonton MaxView"</b> <b>Vinyl Sliding Glass Door</b> <b>(3-Track w/Interior Pocket)</b>  Configuration: XXX-XXXXP Glazing: Insulating Glass (Tempered)  Frame: W-7126mm(280.56") H-2426mm(95.5") Panel: W-1248mm(49.13") H-2364mm(93.06") DLO: W-1019mm(40.13") H-2138mm(84.19")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class LC-PG60 7137 x 2438 (281 x 96)-SD</b> <b>Design Pressure: ±2880 Pa (±60 psf)</b> <b>Positive Design Pressure: 2880 Pa (60 psf)</b> <b>Negative Design Pressure: 3120 Pa (65 psf)</b> <b>Water Penetration Resistance Test Pressure: 440 Pa (9.2 psf)</b>

Product Tested By: Molimo Architectural Product Testing  
Report No: 11835.17-106-11/W-2080  
Expiration Date: December 31, 2026

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)