

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009851.02-R8  
**DATE:** 04/21/2009  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Provia  
**CODE:** 1212-1  
**REVISION DATE:** 05/16/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>ProVia LLC</b> <b>2150 State Route 39</b> <b>Sugarcreek, OH 44681</b>	<b>Series "Signet" Fiberglass</b> <b>In-Swing Three-Lite Patio</b> <b>Door w/Transom</b>  Configuration: O/OXO Glazing: Insulating Glass (Tempered)  Frame: W-2783mm(109.56") H-2584mm(100.75") Panel: W-908mm(35.75") H-2108mm(83.00") Transom: W-2783mm(109.56") H-387mm(15.25")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04</b> <b>ASTM E330-02/E331-00</b>	<b>Design Pressure: +45/-50 psf</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-11912-6/W-1470/W-1978/W-2002  
Expiration Date: **February 28, 2025**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)