NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO
DATE
CERTIFICATION PROGRAM
COMPANY
CODE

NI015445
09/30/2021
Structural
ProVia Door
1212-1

To verify that the "Notice of Product Certification" is valid, please visit <u>www.NAMICertification.com</u> to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
ProVia, LLC	Fiberglass 3-Lite	
2150 State Route 39	Inswing Patio Door System	
Sugarcreek, OH 44681	(w/Plugless Trim & Multi-Point Lock)	
	Configuration: OXO Glazing: Insulated Glass (Tempered)	
	rame: W-2788mm(109.75"	H-2481mm(97.69")
	Panel: W-908mm(35.75")	H-2411mm(94.94")
	DLO: W-537mm(21.13")	H-2013mm(79.25")

SPECIFICATION	PRODUCT RATING	
ASTM E283-04(2012) ASTM E330/E330M-14	Design Pressure: ±2400 Pa (±50 psf)	

Product Tested By:Intertek, PLCReport No:M4271.01-501-47Expiration Date:June 30, 2025

Administrator's Signature:

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC. 4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 Fax: (804) 684-5122