

# Hallmark® Certificate of Conformance and License (CCL)




VELUX America LLC  
450 Old Brickyard Rd  
PO Box 5001  
PO Box 5001  
Greenwood, SC 29649

*Mfr ID:* 426  
*For more Information visit* [www.amscert.com](http://www.amscert.com)  
*Website:* [www.veluxusa.com](http://www.veluxusa.com)  
*TEL:* 864-941-5309

<i>Product No.</i>	<i>Product Name</i>	<i>Standard</i>	<i>Rating</i>	<i>Wide</i>	<i>High</i>	<i>Test Report #</i>	<i>CertDate</i>	<i>ExpDate</i>
426-H-731.20	Dynamic Impact Modified Acrylic Domes, CMD2/DMD2, 5' x 8', 0.150" clear smooth IMA over 0.118" white prismatic IMA	101/I.S.2/A440-17	Class PG-PG35; Size Tested 1631mm x 2546mm Type-SKP; DP +35/-35 psf; Water Test Press 720Pa (15.04psf); Can. Air Infil/Exfil. Level=Fixed	1631mm	2546mm	NCTL-210-4241-01	3/31/2022	2/11/2032
426-H-731.21	Dynamic Impact Modified Acrylic Domes, CMD2/DMD2, 5' x 8', 0.150" clear smooth IMA over 0.118" white prismatic IMA	101/I.S.2/A440-11	Class PG-PG35; Size Tested 1631mm x 2546mm Type-SKP; DP +35/-35 psf; Water Test Press 720Pa (15.04psf); Can. Air Infil/Exfil. Level=Fixed	1631mm	2546mm	NCTL-210-4241-01	3/31/2022	2/11/2032

WDMA and AMS HEREBY CERTIFY that the aforesaid Company ("Licensee"), at its participating manufacturing plant(s), is licensed to use the WDMA Registered Hallmark on product lines that have been manufactured in accordance with the indicated standards. It is further certified that the plant(s), facilities, quality control procedures, methods, and processes of Licensee have been inspected, and are subject to regular follow-up inspection and test. It is further certified that samples of the product set forth above were tested and found to comply with the standards.

*By:*  John McFee, VP of Certification Programs, WDMA Hallmark

*By:*  Lucas L. Wenzel, Authorized Representative, AMS

Program Sponsor:  
Window and Door Manufacturers Assoc  
330 N. Wabash Avenue, Suite 2000  
Chicago, IL 60611  
TEL (312)673-4828 [www.wdma.com](http://www.wdma.com)

Program Administrator:  
Administrative Management Systems, Inc.  
PO Box 730, 205 West Main  
Sackets Harbor, NY 13685  
TEL (315)646-2234 [staff@amscert.com](mailto:staff@amscert.com)