

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011644.01-R3
DATE: 08/28/2013
CERTIFICATION PROGRAM: Structural
COMPANY: All Seasons
CODE: 353-2
REVISION DATE: 01/11/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
All Seasons Window & Door Mfg., Inc. 400 Ambassador Row Longview, Texas 75604	Series "E3250" Aluminum Out-Swing Casement Window Configuration: X Glazing: Insulating Glass (Annealed) Frame: W-914mm(36") H-1524mm(60") Vent: W-867mm(34.31") H-1480mm(58.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class AW-PG95 914 x 1524 (36 x 60)-C C-AW95 914 x 1524 (36 x 60) Design Pressure: 4560 Pa (95 psf) Water Penetration Resistance Test Pressure: 580 Pa (12 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-15904-1/W-1619
Expiration Date: March 31, 2027

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com