

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014507.17-R1
DATE: 03/09/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Quaker
CODE: 031-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products 504 Highway 63 South Freeburg, MO 65035	Series "W700/W705 Two Tone" Aluminum Fixed Window Configuration: O Glazing: IG-1/4" Tempered Glass/1/8" Annealed Glass/0.090" Kuraray SG Interlayer/1/8" Annealed Glass Frame: W-1524mm(60") H-2515mm(99") DLO: W-1443mm(56.81") H-2434mm(95.81")

SPECIFICATION	PRODUCT RATING
AAMA 506-16 AAMA/WDMA/CSA 101/I.S.2/A440-08 ASTM E331-00(2016)(2023) ASTM E1886-13/19 ASTM E1996-17/20	Class AW-PG60 1524 x 2515 (60 x 99)-FW Design Pressure: ±2873 Pa (±60 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Wind Zone 3 - Missile Level D

Product Tested By: Intertek, PLC
Report No: P6494.01-550-44/M3439.01-201-47/W-2068
Expiration Date: March 31, 2027

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC 03/30/2023