

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014355.06
DATE: 11/13/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Quaker
CODE: 031-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products 504 Highway 63 South Freeburg, MO 65035	Series "W600/W605 Two Tone" Aluminum Casement Out-Swing Window Configuration: X Glazing: Insulated Glass (Annealed) Frame: W-1219mm(48") H-2134mm(84") Vent: W-1186mm(46.69") H-2099mm(82.63") DLO: W-1075mm(42.31") H-1988mm(78.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class AW-PG70 1219 x 2134 (48 x 84)-C Design Pressure: ±3360 Pa (±70 psf) Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)

Product Tested By: Intertek - Plano, Texas
Report No: L0630.01-801-47-R5/W-2076/W-2093
Expiration Date: June 30, 2027

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com