

AAMA CERTIFICATION PROGRAM



AUTHORIZATION FOR PRODUCT CERTIFICATION

Simonton Windows
1 Cochrane Ave.
Pensboro, WV 26415

Attn: Tina Jenkins Seese

The product described below is hereby approved for listing in the next issue of the AAMA Certified Products Directory. The approval is based on successful completion of tests, and the reporting to the Administrator of the results of tests, accompanied by related drawings, by an AAMA Accredited Laboratory.

1. The listing below will be added to the next published AAMA Certified Products Directory.

| SPECIFICATIONS | | RECORD OF PRODUCT TESTED | | | |
|---|--|--------------------------|--|---|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-08 R-PG50*-914x1600 (36x63)-H | AAMA 506 | | | | |
| COMPANY AND PLANT LOCATION | Missile Level: C Rating: +50/-50, 36x63 Wind Zone: 2 Rating above conforms to requirements of: ASTM E1886 and E1996 | CPD NO. | SERIES MODEL & PRODUCT DESCRIPTION | MAXIMUM SIZE TESTED | |
| Simonton Windows Code: SIM | | 8418 | 42-19 DOUBLE HUNG (PVC) (X/X) (OG) (INS LAM GL) (TILT) (ASTM) | <u>FRAME(mm)</u> 914 x 1600 (3'0" x 5'3") | <u>SASH(mm)</u> 860 x 800 (2'10" x 2'8") |

2. This Certification will expire **October 27, 2019 (extended from October 27, 2016 per AAMA 103-15)** and requires validation until then by continued listing in the current AAMA Certified Products Directory.

3. Structural Test & Report By:

Architectural Testing, Inc.

Report No: **A4937.01-501-47**

Date of Report: **November 16, 2010**

Missile Impact Test & Report by:

Architectural Testing, Inc.

Report No: **B7701.01-501-47 Rev. 1**

Date of Report: **March 29, 2012 (Revised June 11, 2012)**

Validated for Certification

Associated Laboratories, Inc.

Authorized for Certification

American Architectural Manufacturers Association

Date: **March 30, 2012**
Revised: **December 30, 2015**
Cc: AAMA
SBS