

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI006799A-R4
DATE: 11/11/2006
CERTIFICATION PROGRAM: Structural
COMPANY: Masonite
CODE: 703-1
REVISION DATE: 11/21/2014

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Masonite International Corporation 1955 Powis Road West Chicago, IL 60185	Series "Transom/Fixed" Wood/PVC Composite Fixed Window Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-2438mm(96") H-686mm(27") DLO: W-2388mm(94") H-641mm(25.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA 101/LS.2/NAFS-02 ASTM F588-97	TR-R70 2438 x 686 (96 x 27) FER-Passed

Product Tested By: Architectural Testing, Inc.
Report No: ATI-010-47016.01
Expiration Date: **December 31, 2020**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Fax: (804) 684-5122