

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI009125.01-R4  
**DATE:** 03/17/2008  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Glass Craft  
**CODE:** 1157-1  
**REVISION DATE:** 01/03/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Glass Craft Door Corporation</b> <b>2002 Brittmoore</b> <b>Houston, TX 77043-2209</b>	<b>Series "Portobello/Estancia Arch Top Hardwood" Double Glazed Out-Swing Doors (w/Surface Bolts)</b>  Configuration: XX  Glazing: Insulating Glass (Tempered)  Frame: W-1880mm(74") H-2515mm(99") Panel: W-914mm(36") H-2438mm(96") Lite: W-559mm(22") H-1422mm(56")

SPECIFICATION	PRODUCT RATING
<b>ASTM E330E330M-14</b>	<b>Design Pressure: +35.0/-30.0 psf</b>

Product Tested By: Certified Testing Laboratories  
Report No: CTLA-1743W-1/W-2108  
Expiration Date: September 30, 2026

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)