



CATEGORY:
SWINGING FRENCH DOOR

UNIT TYPE:
ELIFD HP, ELIFD IZ3

NOTES:

1. FOR GENERAL SPECIFICATIONS, REFER TO DOC 00003952
2. CLIPS/ BRACKETS USED AT THROUGH JAMB HOLE LOCATIONS
- △ 3. X AND XO/OX UNITS HAVE 2 ADDITIONAL CLIP/ BRACKETS AT RHINO HOOK MULTI-POINT LOCATIONS
4. #8 X 3" SCREWS USED AT EACH THROUGH JAMB LOCATION
#8 X 2-1/2" SCREWS USED AT HINGE AND STRIKE LOCATIONS
5. FOR X AND XO/OX DEPICTIONS, X-R AND XO ORIENTATIONS SHOWN
6. FOR INSTALLATION METHODS, REFER TO DOC 00091554
7. GLASS COMPLIES WITH ASTM E1300

ITEM	DWG NO	DESCRIPTION
6	00097005	BRACKET, INSTALLATION, MASONRY, HP/IZ3
5	00064718	#10 X 2-3/4", FH, 2/3, MAS
4	00097004	CLIP, INSTALLATION, 4-9/16", HP/IZ3
3	00003228	#8-15 X 2-1/2" TYPE A/TF, 2/3 THREAD
2	00003264	#8-18 X 3" TYPE AB, FULL THREAD
1	NA	2" ROOF NAIL
PARTS LIST		

MARVIN RESEARCH & DEVELOPMENT

COLLECTION: ELEVATE

DWG TYPE: INSTALLATION
DESCRIPTION: INSTALLATION ELEVATIONS, NAIL FIN/STRUCTURAL BRACKET, FL10196

CHK: SAL 12/22/20	SIZE: B	CLASS: ASSY	DWG NO: 00091591
APP: SRB 12/23/20	SCALE: 1:8	DATE: 06/18/14	DWG BY: GREEN, WESLEY
			SHEET: 1 OF 1

REV	DESCRIPTION / REQUESTOR	ECN NO	DATE	REV BY
5.0	ADDED NOTE 7	PEND	12/16/20	TDG
4.0	UPDATED ASSEMBLY (STRIKE PLATE)	23678	03/28/19	AAA

NOTICE - CONFIDENTIAL INFORMATION

The information in this document is privileged and strictly confidential. The information contained herein shall be used only by Marvin employees and by those agents or suppliers granted official written permission. If the reader of this document is not the intended recipient, or the employee or agent of the intended recipient, please delete this document from all data storage devices, and destroy all hard copies. Any unauthorized dissemination, distribution, copying or other use of the information contained in this document is strictly prohibited.